



JOINTED ARM AWNINGS

TOPLINE range



EXPERIENCE COMFORT AND QUALITY




TOPLINE CASSETTE

The cassette awning impresses with its slim styling and timeless elegance.



TOPLINE PLUS

An elegant case protects the awning fabric of the TOPLINE PLUS when retracted.



TOPLINE

High-quality technology and materials makes the TOPLINE a quality product.



ADVANTAGES

TOP QUALITY, TOP TECHNOLOGY AND TOP DESIGN

It is not without reason that the TOPLINE range sets new standards for awnings – no other awning can be fitted with so many extras! The Variovolant, an additional valance extendable up to 150 cm, is an ideal blind and privacy screen. The TOPLINE swivel device allows the awning to be inclined using a crank handle by up to 55°, providing protection from low sun. The TOPLINE range is motorised as standard. Durability, high quality and comfort are paramount in this range of awnings.

7-YEAR GUARANTEE

Like all our awnings, the TOPLINE range is CE tested. High quality and corrosion resistant materials and coatings guarantee you a durable product which will enable you to enjoy every ray of sunshine.

CASSETTE, SEMI-CASSETTE OR SIMPLY OPEN


The design featuring a fully enclosed cassette significantly lengthens the life of the awning and makes it possible to use it in exposed locations, as both the awning fabric and the jointed arms retract into the cassette. With a semi-cassette awning, the retracted awning fabric is kept safe from the elements by a sleeve. Open awning systems, on the other hand, are mainly used under existing structural elements in a sheltered location or, if necessary, are protected by a rain protection roof.

AWNING INSTALLATION WITH NO LIMITS

WOUNDWO jointed arm awnings can be fitted on new and renovated buildings wherever they are required – on the wall, ceiling or even on rafters. This makes them exceptionally flexible when designing your home or in renovation projects.

PROTECT & SHADE WITH THE FINEST

In outdoor areas, jointed arm awnings complement internal sun protection, because they effectively screen out solar radiation from above and make the patio a cool and shady place without heat radiation. This significantly reduces the need for cooling. With low sun or on west-facing patios, a larger overhang, a greater angle of inclination or a Variovolant provides optimal shading.



High sun
e.g. Southern facade

Low sun
e.g. Western facade

OPERATING OPTIONS

Choose between hand crank, wired motor, radio-controlled motor or the Somfy io homecontrol® radio-controlled motor, which allows seamless integration into a smart home system. Solar-powered motors also allow motorisation without an additional power connection. Increase your comfort with a wind sensor and/or sun sensor.



Crank



230 V Motor



Radio motor



Radio motor with emergency hand crank



Smart Home




Solar-powered radio motor

HIGHLIGHTS AND ACCESSORIES




SMART HOME

Products from **WOUNDWO** can be installed flexibly and are compatible with a wide range of smart home systems – whether completely automated or operated via smartphone or remote control.



SOLAR POWER

If there's no connection for power supply, you can still have the luxury of motorised shading. The solar panel with integrated battery is the perfect add-on to this product design.



WIND, LIGHT AND RAIN SENSOR

If limits for wind strength and light intensity are exceeded or fallen below, your product will automatically retract or extend. You can also control the reaction to rain – make your sun protection smart!



STRONG ARMS

An excellent mechanism is particularly important for the reliability and durability of an awning. All **WOUNDWO** jointed arm awnings are well-engineered quality products with extremely strong arms. The **TOPLINE** jointed arm is fitted with a 4 pulley system which is tested with 70,000 guaranteed movement sequences and withstands extreme loads (up to wind class 3/ EN 13561).



VARIOVOLANT / VARIOMOTION

A Variovolant is an additional valence on the front of the awning which can be extended vertically up to 1500 mm. The VARIOMOTION is a Variovolant with a 24V electric drive (max. 1350 mm), which can be operated comfortably and quietly by remote control.




LIGHTVIEW LIGHT STRIP SYSTEM

Do you want more light on the patio? With our Lightview lighting system, no problem. A continuous light strip in naturally anodised aluminium profile brings up to 720 lumens of dimmable light per metre to your patio at the touch of a button. Better still: once fitted, the lighting strip can be rotated through +/- 45°.



RADIANT HEATING UNIT

On those cooler evenings, crank up the warmth with our stylish, high-performance infrared radiant heating units, which are attached either to the product or to the façade. Control your heating along with your shading system, by remote control!



GAP COVER

The gap between coupled awnings can be covered using the additional functions of the gap cover. The gap cover prevents solar radiation between the individual spans of coupled systems. Valances for a system with a gap cover are manufactured over the total width of the system.

COLOURS DESIGNS AND FABRICS

DESIGNS AND FABRICS

With a trained specialist dealer, take a look at the **WOUNDWO** collection and embark on a voyage of discovery – explore the range of colours, designs in plain colours, multi stripes and block stripes, and fabrics including acrylic and polyester.

UV PROTECTION

Acrylic fabrics are high-quality awning fabrics which are equipped with a range of extras to make them ideal for demanding outdoor applications. The UV protection of the fabrics according to UV Standard 801 ranges from factor 40 to 80.

TEXGARD – EASY-CLEAN

Due to a special textile finishing, these fabrics have particularly useful properties. These include low soiling tendency, high water resistance and a reduced surface tension. Due to the special way of fixing the material, this effect is maintained for an extraordinarily long time. This provides the best possible protection against water penetration, damp and dirt.

LUMERA ALL-WEATHER

The All-Weather quality is reflected in a fabric manufactured from spun-dyed brand name acrylic and coated on one side. This combines optimal sun protection with protection from drizzle or light rain (inclination at least 14°).

OEKO-TEX STANDARD 100

The Oeko-Tex Standard 100 is a testing and certification system which assures you that the textile products comply with the limit values for certain harmful pollutants.




FRAME COLOURS

With over 200 RAL frame colours and more than 350 fabrics, you can find your favourite awning at **WOUNDWO** – however unusual your requirements! There's a perfect awning model for virtually all dimensions and styles.



VALANCE SHAPES

It's not just a question of choosing the awning fabric – you need to decide how the valance should look too. You have the choice of 6 different shapes and a wide range of colours for the edging strips.





TOPLINE CASSETTE



CASSETTE AWNING

Fabric and arms in closed awning.
Max. width 7,000 mm
(two-part up to 13,000 mm)
Max. extended length 4,500 mm

The awning that meets the highest demands. It captivates with its new, revamped shape and stylish design and now boasts an extended length of up to 4500 mm. As well as protecting the fabric against dust and damp, the TOPLINE CASSETTE now also houses all the technology required for the optional LED profile and the vario valance, which can be motorised if desired.

THE BENEFITS TO YOU

- 7-year guarantee
- Wall, ceiling or rafter mounting
- The awning fabric and arms retract fully into the cassette
- Standard io homecontrol radio motor
- smart control optional
- Optional Variovolant
- Optional LED light strip
- Infrared radiant heating unit as accessory
- over 200 RAL colours and more than 350 fabrics
- Fabrics weatherproof, dirt-repellent and light-fast
- good wind stability



LED LIGHT STRIP

The high-quality LED light strips are adjustable when mounted and can be dimmed optimally by remote control as required.



VARIOVOLANT

This additional awning fabric is integrated into the fall profile of jointed arm awnings. Whether motorised or equipped with a crank, Variovolant provides the ideal protection from low sun.



230 V Motor



Radio motor



Radio motor with emergency hand crank



Smart Home



Solar-powered radio motor

TOPLINE PLUS



The semi-cassette design awning is the solution for the individual requirements of quality-conscious customers, with extras such as Variovolant or the swivel device. The standard frame colours white or silver can be combined with all fabric designs and colours.

THE BENEFITS TO YOU

- 7-year guarantee
- Wall, ceiling or rafter mounting
- Awning fabric retracts fully into the cassette
- Standard io homecontrol radio motor
- smart control optional
- Crank operation optional
- Optional Variovolant
- Optional LED light strip
- Infrared radiant heating unit as accessory
- over 200 RAL colours and more than 350 fabrics
- Fabrics weatherproof, dirt-repellent and light-fast
- good wind stability



Crank



230 V Motor



Radio motor



Radio motor with emergency hand crank



Smart Home



Solar-powered radio motor



SEMI-CASSETTE AWNING

Fabric in closed awning
Max. width 7,000 mm
(two-part up to 14,000 mm)
Max. projection 4,500 mm



VARIO VALANCE

This additional awning fabric is integrated into the fall profile of jointed arm awnings. Whether motorised or equipped with a crank, Variovalant provides the ideal protection from low sun.

BRUSH SEAL

An integrated brush seal removes loose dirt particles from the fabric while the awning is being retracted.



TOPLINE



The high-quality awning made to measure. With extras such as Variovolant or the swivel device, it meets the requirements of the most demanding customers. The standard frame colours, i.e. white and silver, can be combined with a large number of fabric designs. In addition, the awning is available in all RAL colours as an option.

THE BENEFITS TO YOU

- 7-year guarantee
- Wall or ceiling mounting 5°-40°
- Rafter mounting
- Flexible positioning of brackets
- Standard io homecontrol radio motor
- smart control optional
- Crank operation optional
- Optional Variovolant
- Optional LED light strip
- Infrared radiant heating unit as accessory
- Rain canopy as accessory
- over 200 RAL colours and more than 350 fabrics
- Fabrics weatherproof, dirt-repellent and light-fast
- good wind stability

OPERATION



Crank



230 V Motor



Radio motor



Radio motor with emergency hand crank



Smart Home



Solar-powered radio motor



OPEN AWNING

Fabric and arms not in closed awning.

Max. width 7,000 mm
(three-part up to 19,500 mm)
Max. projection 4,500 mm



VARIO VALANCE

This additional awning fabric is integrated into the fall profile of jointed arm awnings. Whether motorised or equipped with a crank, Variovalant provides the ideal protection from low sun.



RAIN PROTECTION ROOF

The rain protection roof huddles against the cloth roller, covers and protects the mechanical elements and thus provides sufficient protection against the wet.



SUNLIGHT DESIGN – MADE IN AUSTRIA:

Here at **WOUNDWO**, and our specialist trade partners, we understand that sun protection means more than just “shading”: In the development and in the marketing of our products, our focus is always on the connection between optimal functionality and the highest possible durability, and the combination of individual requirements with attractive design. That’s why all our products are individually custom-made. Whether you are looking to fit out your patio or façade, a window, a balcony, a flat or an entire house; whether you are looking for an awning, venetian blind, roller blind, shutters or interior solutions – the product range of the full-range supplier **WOUNDWO** offers the right answer!

Improve your quality of life, treat yourself to true comfort, save energy, protect your privacy. Enjoy not just any sun protection product, but your own individual one – all that and more, with **WOUNDWO** sun protection!

THE RANGE

- JOINTED ARM AWNINGS
- VERTICAL AWNINGS
- TERRACE AWNINGS
- SIDE WALL AWNINGS
- PATIO ROOFS
- VENETIAN BLINDS AND EXTERIOR BLINDS
- ROLLER SHUTTERS
- WINDOW SHUTTER
- INSECT PROTECTION
- SUN PROTECTION INSIDE



PRODUCT OVERVIEW

PRODUCT	TOPLINE CASSETTE	TOPLINE PLUS	TOPLINE
Width*	2,150 - 13,000 mm	1,250 - 14,000 mm	1,250 - 19,500 mm
Projection*	1,500 - 4,500 mm	1,500 - 4,500 mm	1,500 - 4,500 mm
Frame colours	All RAL K7 CLASSIC colours	All RAL K7 CLASSIC colours	All RAL K7 CLASSIC colours
Standard operation	io homecontrol radio motor	io homecontrol radio motor	io homecontrol radio motor
Maximum angle of inclination depending on wall or ceiling fitting	25°	55°	55°
Solar-powered radio-controlled motor incl. rechargeable battery and solar panel	✓	✓	✓
Radio-controlled motor io with emergency hand crank	✓	✓	✓
radio motor	✓	✓	✓
Motor wired	✓	✓	✓
Swivel device	-	✓	✓
Valance height 200 mm	-	✓	✓
Valance height 210-700 mm	-	✓	✓
Variovolant with crank	✓	✓	✓
LED light strip	✓	✓	✓
Heating system	✓	✓	✓
Sun and wind sensor	✓	✓	✓
Winter protection cover	✓	✓	✓

* Depending on product design

WE ARE SUNLIGHT DESIGN

WO&WO Sonnenlichtdesign GmbH & Co KG
Hafnerstraße 193, 8054 Graz, AUSTRIA
www.woundwo.com

YOUR **WOUNDWO** DEALER

© **WOUNDWO**, Q2 2023